## **OSRAM**

# LEDinspect TWIST 450

### Inspection lights





### Multi-Angle Flex & Twist

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



### 450 Lumen

2 light functions:Up to 450lm -highUp to 250lm -low



#### 2in1

Inspection light & Torchlight function



#### 2-year OSRAM Guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers



### Light is versatile

With the TWIST 450 you have the possibility to easily control the direction of the light beam. A light output of up to 450 lumens and a colour temperature of up to 6000K, make the TWIST 450 ideal for use in workshops and beyond. Lightweight, robust and with a 360° rotation and a 180° grid function, it is an optimal tool for targeted lighting. Mains charger included. In addition, OSRAM provides a 2-year guarantee on this product\*

### Product family datasheet

### Technical data

	Product informat		General Produ Information	ıct	Electrical Data	9	
Product description	Application (Category and Product specific)		Global order reference		Nominal voltage		Nominal wattage
INSPECTION LAMP	LED inspection li	ghts	LEDIL412C		5 V		6 W
	Photometric Data	a				Physica Dimens	al Attributes & sions
Product description	<b>3</b>	Nominal Tux	luminous	Color te	emperature	Height	
INSPECTION LAMP	White 4	150 lm		6000 K		230.0 n	nm
Product description	Width		Length		Product weigh	nt	LED module information
. roduct description	VII.		_cgui		. roudet weig.		LEDs per module
INSPECTION LAMP	45.0 mm		28.0 mm		280.00 g		1
	Colors & materia		Lifetime Data	Additiona	al product data		
Product description	Base color		Guarantee	Scope of	cope of battery Nun		of included
INSPECTION LAMP	Black / Orange		2 years	Yes		1	
			Capabilities	Certifica standar		Logistic	cal data
Product description	Type of Battery		Technology	IK Class		Watt hour per battery	
INSPECTION LAMP	Rechargeable		LED	IK09		8.14	
	Environmental & Information acco				EC) 1907/2006	(REACh)	
Product description	Candidate list substance 1		CAS No. of substance		Safe use instruction		Declaration no. in SCIP database
INSPECTION LAMP	Lead		7439-92-1		The identifica the Candidate substance is sufficient to a safe use of the article.	List	0438e4db-58f7- 4a06-b29d- 1619cb930f49

### Product family datasheet

### Download Data

	File
Z	User instruction LEDinspect TWIST 450
*	User instruction GPRS_Safety symbols instructions
D	Movie application LEDinspect Inspection Lights Trailer

### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and the user instruction.\* for precise conditions please refer to: www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.