

# LEDriving SL W16W RED

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Red




Replaces conventional W16W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



# Suitable LED replacement for W16W

LEDriving SL W16W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional W16W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

# Technical data

	Product inform	Product information			General Product Information		Electrical Data	
Product description	Product type (off- road vs. on-road)		olication (Category I Product specific)		Global order reference		Nominal voltage	
LEDriving SL ≜ W16W	V16W Off-road ≜ Mainly used for 921DRP W16W signal/ indicator applications		P	2 W 12 V				
				Photometric Data			Physical Attributes & Dimensions	
Product description	Nominal watt	Nominal wattage		Nominal luminous flux		Luminous flux tolerance	Diameter	
LEDriving SL ≙ W16W	2 W		13.5 V	80 lm		±25 %	11.0 mm	
			Lifetime Da	nta	Capabilities	Environme Regulatory Informatio Informatio according	y n n	

Product description	Candidate list substance 1	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≜ W16W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	b659ede8-1f72- 472c-a2de- 985236aa808b

Lifespan

1500 hr

Lifespan

4000 hr

Tc

Technology

LED 1)

Diameter

11.0 mm

**Product description** 

EU Regulation (EC) 1907/2006 (REACh) Primary article

4062172401630 | 4062172160155

identifier

 $<sup>^{1)}</sup>$  Light-emitting diode lamp

# Product family datasheet

#### Download Data

#### File



User instruction

GPRS\_Safety symbols instructions



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

# Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

# Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# **Application advice**

For more detailed application information and graphics please see product datasheet.

# **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.