## Product family datasheet

# LEDriving SL P27/7W YELLOW



Suitable for various vehicle exterior applications Available in Amber



Replaces conventional P27/7W lamps

Easy upgrade to LED technology with plug & play solutions



OSRAM

Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



LEDriving SL P27/7W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional P27/7W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

### Technical data

	Product inform	Product information			General Product Information		Electrical Data		
Product description	Application (Ca and Product sp		Product type (off- road vs. on-road)	Global o referenc		Power input	Nominal	voltage	
LEDriving SL ≜ P27/7W	Mainly used fo signal/ indicat applications	ignal/ indicator P27/7W		3157DYI	3157DYP		.7 W 12 V		
					Photometric	Data	Physical A Dimensior	ttributes & 1s	
Product description	Nominal watta	Nominal wattage		Test voltage	Nominal luminous flux		Lamp base	2	
LEDriving SL $\doteq$ P27/7W	1 W		±25 %	13.5 V	55/10 lm		W2.5x16q	i	
							Lifetime Data		
Product description	Length		Diameter		Diameter		Lifespan B3	Lifespan Tc	
LEDriving SL $\triangleq$ P27/7W	49.0 mm		25.7 mm		25.7 mm		1500 hr	4000 hr	
	Capabilities	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)							
Product description	Technology	Primary article identifier		Candidate list substance 1		CAS No. of substance 1			
LEDriving SL $\doteq$ P27/7W	LED <sup>1)</sup>	4062172401791		Lead	Lead		7439-92-1		

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≜ P27/7W	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ac938de6-4f2b-4a13- b03a-b2c2a077f305

4062172151665

 $^{1)}$  Light-emitting diode lamp

\_

# Product family datasheet

#### Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

#### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.