OSRAM

BATTERYcharge 908



Start/Stop compatible
Suitable for vehicles with Start/Stop
system



Winter mode
Protects batteries in cold temperatures



9-stage charging cycleFor easy charging of Lead Acid/AGM
batteries



Smart battery charger and maintainer with multi-stage charging cycle

The OSRAM BatteryCharger 908 is a 8A smart charger and battery maintainer for 12V and 24V vehicles including most cars, vans and small trucks. Maintains and charges a vehicle's battery through a 7 stage charging cycle at the touch of a button for Lithium batteries, with only a 9-stage cycle of Lead Acid/AGM batteries. Includes a backlit LCD digital display to keep things easy even in low light. A host of safety features including reverse polarity and short-circuit protection, keeps both the user and the vehicle safe. Be sure that the charger is maintaining your car battery as it automatically changes to long-term maintenance mode when the vehicle's battery is full.

Product family datasheet

Technical data

	Product information	Electrical Data		
Product description Application (Category and Product specific)		Charge Rate (Up to) Maintainance Charge (up to)		e Charge Max battery capacity
BATTERY charge 908	Smart battery charger	8.0 A	4.0 A	150 Ah
		Physical Attributes & [Dimensions	
Product description	Min battery capacity	Length	Width	Height
BATTERY charge 908	70 Ah	185.0 mm	106.0 mm	70.0 mm
	Dimensions & weight		Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	Power Cable Length	Clamps Cable Length	ECE category	Candidate list substance 1
BATTERY charge 908	1.5 m	1.5 m	•	Lead

Product description	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
BATTERY charge 908	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	39a90b38-e51d-44ff- 8a96-fe9eea625c68

Product family datasheet

Download Data

	File
Z	User instruction BATTERYcharge
Z	User instruction GPRS_Safety symbols instructions
D	Movie application BatteryCharge How to Video (ITA)
D	Movie application BatteryCharge How to Video (EN)
D	Product movie OSRAM BATTERYcharge OEBCS908 Product Video (EN)
D	Product movie OSRAM BATTERYcharge OEBCS908 Product Video (DE)

Legal advice

*for precise conditions please refer to:

www.osram.com/am-guaranteeApplication advice:

For more detailed application information and graphics please see product datasheet.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.