

NIGHT BREAKER LED SMART ECE H11



ECE Street-Legal¹⁾

The NIGHT BREAKER LED family - OSRAM's first ECE street-legal LED retrofit lamps




Approved for all 12V vehicle models¹⁾

Approved for all 12V vehicle models, in all ECE member states, for all light functions as a replacement for all H11 lamps and H11 bases



Up to 6 times longer lifetime³⁾

Vibration resistant, environmentally friendly, and cost-efficient



Cool white & 6000K

Modern and intense white light with a color temperature similar to daylight



A revolutionary development in the retrofitting lamp sector. The new ECE street legal NIGHT BREAKER LED SMART ECE H11. OSRAM's first ECE homologated LED retrofit lamp.

OSRAM's new NIGHT BREAKER LED SMART ECE H11 is fully homologated according to ECE R37 and consequently approved for all 12V vehicles in all ECE member states for all light functions as suitable replacement for all H11 lamps and H11 bases.

The lamp's ECE R37 homologation eliminates the need for matching headlamp approval numbers, carrying official approval documents, or applying stickers.

They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with its extra brightness²⁾, while the glare of other road users falls below the permissible maximum values by up to 50%²⁾.

In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 60% less energy and convince thanks to LED technology and the specially developed vibration-resistant design, with up to 6 times longer life time²⁾. They have been tested in our DIN-certified environmental simulation laboratory for extreme external influences in terms of the ingress of water and dust and validated with IP protection class IP55.

You can now replace your conventional vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness for the first time with ECE-road approval.

Данные о продуктовой линейке

Additionally, OSRAM offers a dedicated guarantee³⁾ on all NIGHT BREAKER LED retrofit lamps.

Данные о продуктовой линейке

Technical data

Информация о продукте					
Описание продукта	Применение (категория и специфика)	Product legal advice 1	Product legal advice 2	Product legal advice 3	
NIGHT BREAKER SMART H11 ECE LED	High beam, low beam and fog light	1) Homologated in accordance with the applicable UN ECE R37 regulations	2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%	3) In comparison to traditional Halogen lamps	

		General Product Information	Электрические параметры		
Описание продукта	Product legal advice 4	Номер заказа	Тестовое напряжение	Номинальная мощность	Номинальное напряжение
NIGHT BREAKER SMART H11 ECE LED	4) For precise conditions please refer to: www.osram.com/am-guarantee	64211DWNBSM-ECE	13,2 V	14 W	12 V

Фотометрические данные			Physical Attributes & Dimensions		
Описание продукта	Допуск по отклонению светового потока	Световой поток	Цветность светодиода	Вес продукта	Длина
NIGHT BREAKER SMART H11 ECE LED	±10 %	1350 lm	Холодный белый	102.00 g	68.0 mm

Срок службы		Возможности / мощности	Сертификаты и Стандарты		
Описание продукта	Срок службы Tс	Продолжительность жизни В3	Технология	ECE-категория	Стандарты
NIGHT BREAKER SMART H11 ECE LED	3000 hr	1500 hr	LED	ECE R37	

Данные о продуктовой линейке

Нормативная и природоохранная информация Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)				
Описание продукта	Основной идентификатор изделия	Список компонентов вещества 1	CAS-номер вещества 1	Инструкция по безопасному использованию
NIGHT BREAKER SMART H11 ECE LED	4062172418331	Lead	7439-92-1	Идентификация вещества из списка компонентов достаточна для безопасного использования изделия.

Описание продукта	Номер декларации в базе данных SCIP
NIGHT BREAKER SMART H11 ECE LED	b33327f1-2527-400e-ae81-f7f71177fc2c

Загрузка данных

Файл	
	User instruction NIGHT BREAKER LED SMART ECE
	User instruction GPRS_Инструкции по символам безопасности
	Brochures Night Breaker LED SMART ECE H11 Specification list Installation instruction (EN)

Советы по безопасности

Application advice:

For more detailed application information and graphics please see the product datasheet, user manual and specification list

Соответствие стандартам

- 1) Homologated in accordance with the applicable UN ECE R37 regulations
- 2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%
- 3) In comparison to traditional Halogen lamps
- 4) For precise conditions please refer to: www.osram.com/am-guarantee

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.