

Lightbar WL VX80-WD



Wide Beam Pattern

For a large-area and wide light distribution



Up to 39 m long beam

See and be seen with OSRAM



2 in 1: Front and rear application

Matched to individual requirements and needs for versatile applications



IP & IK protection classes

Tested and validated in a DIN-certified environmental simulation laboratory



Powerful LED working lights

Experience exceptional visibility with the OSRAM LEDriving Lightbar WL VX80-WD – a compact, powerful wide beam LED working light that combines affordability with performance, quality and durability. Designed to meet diverse tasks, the working light impresses with a luminous flux of up to 800 effective lumens and a wide beam pattern with a light beam up to 39 meters. Emitting a color temperature of up to 6000 Kelvin and equipped with 2 high-performance OSRAM LEDs, the working light delivers consistent and reliable brightness, significantly enhancing safety at work for you and others.

Built for durability, the working light features a robust aluminum housing and a shatterproof polycarbonate lens. It withstands harsh environmental conditions such as dust, water, impacts, extreme temperatures and vibrations, meeting IP6K8 and IP6K9K standards verified in a certified environmental simulation laboratory. Versatile in its application, this LED working light is an effective addition to trucks, construction machinery, agricultural and commercial vehicles, as well as off-road vehicles. In addition, it is ECE R148 approved for use as a reversing light. Whether on the farm, on-site, or in the wilderness, the OSRAM LEDriving Lightbar WL VX80-WD is a reliable and efficient lighting solution that enhances performance and safety in challenging conditions¹⁾. OSRAM provides a 2-year guarantee²⁾.

Данные о продуктовой линейке

Technical data

Описание продукта	Электрические параметры		Фотометрические данные	Срок службы
	Номинальное напряжение	Номинальная мощность	Световой поток	Срок службы Тс
Lightbar WL VX80-WD	12/24 V	8 W	800 lm	> 5000 hr

Описание продукта	Нормативная и природоохранная информация Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Список компонентов вещества 1	CAS-номер вещества 1	Инструкция по безопасному использованию	Номер декларации в базе данных SCIP
Lightbar WL VX80-WD	Lead	7439-92-1	Идентификация вещества из списка компонентов достаточна для безопасного использования изделия.	25a1ef92-ab90-4b9a-93dd-f89f893edad8

Данные о продуктовой линейке

Загрузка данных

Файл	
	User instruction LEDiving LIGHTBAR WL VX80-WD
	User instruction GPRS_Инструкции по символам безопасности

Советы по безопасности

For detailed application information, please refer to the product data sheet and the user instruction

Соответствие стандартам

1) Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 ⁽⁷⁾. However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of countries outside Germany must be observed.2) For precise conditions refer to: www.osram.com/am-guarantee

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.