**OSRAM**

# LEDinspect WIRE-FREE SLIM 600

**Wire-Free charging compatible**

Simply place on the Wire-Free charging pad to securely hold and recharge

**Slim design**

Easily place bright 600 Lumens white light where you need it most

**Built to last**

IK08 and IP54 rated to survive the rigors of the professional workshop



### The easiest way to recharge inspection lights

Inspection lights are a vital part of any professional's toolbox. Removing the need to find and plug into the correct charging cable, OSRAM's wire-free inspection lights recharge without hassle by simply being placed on the magnetic charging pad. This innovative design not only enhances convenience but also supports an uninterrupted workflow.

## Technical data

| | Product information | General Product Information | Electrical Data | |
|---|---|---|---|---|
| **Product description** | **Application (Category and Product specific)** | **Global order reference** | **Nominal voltage** | **Nominal wattage** |
| INSPECTION LAMP | LED inspection lights | LEDIL422 | 3.7 V | 5 W |

| | Photometric Data | | | Physical Attributes & Dimensions |
|---|---|---|---|---|
| **Product description** | **Light color LED** | **Nominal luminous flux** | **Color temperature** | **Height** |
| INSPECTION LAMP | White | 600 lm | 5700 K | 37.0 mm |

| | | | | Lifetime Data |
|---|---|---|---|---|
| **Product description** | **Width** | **Length** | **Product weight** | **Guarantee** |
| INSPECTION LAMP | 43.0 mm | 325.0 mm | 240.00 g | 2 years |

| | Capabilities | Logistical data | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | |
|---|---|---|---|---|
| **Product description** | **Technology** | **Watt hour per battery** | **Candidate list substance 1** | **CAS No. of substance 1** |
| INSPECTION LAMP | LED | 9.20 | Lead | 7439-92-1 |

| Product description | Safe use instruction | Declaration no. in SCIP database |
|---|---|---|
| INSPECTION LAMP | The identification of the Candidate List substance is sufficient to allow safe use of the article. | 39eac002-3892-45bc-922c-294d6f9430fb |

# Product family datasheet

## Download Data

| | File |
|---|---|
|  | User instruction<br>LEDinspect WIRE-FREE SLIM 600 |
|  | User instruction<br>GPRS_Safety symbols instructions |

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.